

Lab Standard Balances Pricelist 2018.4.1



(Only for internal use)

turning science into solutions

Table of Content

- Semi-micro Balances
- Secura, Quintix, Practum
- Accessoroes for SQP
- BSA
- Accessories for CPA and BSA
- Accessories for all Balances
- Pipette Calibration
- Moisture Analyzer
- Accessories for Moisture Analyzer
- Electrochemical Analysis



Semi-Micro Balances:

Readability (mg)	Weighing capacity (g)	Model	Price in RMB
0.002	21	Secura26-1CEU	149,500
0.01 0.1	120 220	Secura225D-1CN	44,760
0.01	120	Secura125-1CN	42,970
0.01	30	Quintix35-1CN	28,720
0.01	60	Quintix65-1CN	31,930
0.01/0.1	60/120	Quintix125D-1CN	33,410

Secura

Readability (mg)	Weighing capacity (g)	Model	Price in RMB
0.1	320	Secura324-1CN	46,320
0.1	220	Secura224-1CN	34,200
0.1	120	Secura124-1CN	29,240
1	1100	Secura1103-1CEU	45,720
1	610	Secura613-1CN	36,470
1	510	Secura513-1CN	27,190
1	310	Secura313-1CN	22,270
1	210	Secura213-1CN	21,730
10	6100	Secura6102-1CN	36,460
10	5100	Secura5102-1CN	27,180
10	3100	Secura3102-1CN	22,280
10	2100	Secura2102-1CN	21,180
10	1100	Secura1102-1CN	20,540
10	610	Secura612-1CN	18,750
Quintix			
Readability (mg)	Weighing capacity (g)	Model	Price in RMB
0.1	220	Quintix224-1CN	20,240
0.1	120	Quintix124-1CN	17,550
1	610	Quintix613-1CN	26,190
1	510	Quintix513-1CN	17,260

Quintix313-1CN

Quintix213-1CN

Quintix6102-1CN

Quintix5102-1CN

Quintix3102-1CN

Quintix2102-1CN

Quintix1102-1CN

Quintix612-1CN

Quintix6101-1CN

Quintix5101-1CN

Quintix6100-1CN

Quintix5100-1CN

14,620

13,330

26,890

18,190

15,650

14,160

13,640

13,120

15,330

14,340

14,550

13,900

Practum

1

1

10

10

10

10

10

10

100

100

1000

1000

310

210

6100

5100

3100

2100

1100

610

6100

5100

6100

5100

Readability (mg)	Weighing capacity (g)	Model	Price in RMB
0.1	220	Practum224-1CN	14,830
0.1	120	Practum124-1CN	12,150
1	510	Practum513-1CN	13,620
1	310	Practum313-1CN	9,900
1	210	Practum213-1CN	8,210
10	3100	Practum3102-1CN	10,750
10	2100	Practum2102-1CN	9,950
10	1100	Practum1102-1CN	9,590
10	610	Practum612-1CN	8,900
100	6100	Practum6101-1CN	10,380
100	5100	Practum5101-1CN	9,440
1000	6100	Practum6100-1CN	8,440
1000	5100	Practum5100-1CN	7,610

Accessories for SQP models

	Order No.	Price in RMB
Premium GLP Lab Printer	YDP30	7,500
Printer paper for GLP Lab Printer	69Y03285	380
Endless labels for GLP Lab Printer	69Y03286	410
Standard Lab Printer	YDP40	3,450
Printer paper for Standard (YDP40) printer, 5 rolls	69Y03287	180
Battery Pack for Standard Lab Balances(135*77*25/380g)	YRB11Z	2,320
Data cable mini USB USB A	YCC04-D09	100
Data cable mini USB RS232 9-pin	YCC03-D09	110
Data cable mini USB RS232 25-pin	YCC03-D25	110
Density kit for 0.01 mg balances	VF4601	7,800
Density kit for 0.0001 g 0.001 g balances	YDK03	4,680
Density kit for 0.01 g balances	YDK04	4,100
Filter weighing pan for 0.01 mg Balances	YFW01SQP	3,280
Weighing pan 90 mm for 0.01 mg balances	YWP01SQP	2,460
Weighing pan 80 mm, slitted, for 0.01 mg balance	YSP01SQP	5,560
Demo box for 0.01 mg balances	YDB-SECURA-5	8,040
Demo box for 0.0001 g 0.001 g balances	YDB-SECURA	6,500
Demo box for 0.01 g balances	YDB-SECURA-P	4,340
Stainless steel weighing pan with a 50 mm diameter for balances	VF4589	5,230
with a readability of 0.002 mg.The set consists of a weighing pan,		
a low design and a high-design round pan draft shield (supplied		
without a balance).		
Interior glass draft shield for increasing the weighing performance	YHK01SQP	6,580
of balances with a readability of 0.002 mg		
Pipette calibration kit (hardware) for balances with a readability	YCP06SQ	9,780
of 0.01 mg. The kit consists of a moisture trap and all required		
adapters		
Draft shield for 0.01 g 0.1 g 1 g balances	YDS01SQP	4,200
Draft shield for 0.001 g balances	YDS02SQP	2,930
In-use cover for 0.01/0.002 mg balances	6960SE05	490
Dust cover for 0.01/0.002 mg balance	6960SE04	240
In-use cover for 0.0001 g 0.001 g balances	6960SE01	270
Dust cover for 0.0001 g 0.001 g balances	6960SE03	230
In-use cover for 0.01 g balances	6960SE02	270
lonizing blower for electrostatically charge of samples	YIB01-0UR	14,960
Stat pen, for neutralize static electricity on samples	YSTP01	16,400
Weighing table, made of wood, with decoupled centered granite plate	YWT09	21,000
Balance table, made of granite, with vibration dampeners	YWT03	22,980
Wall console for micro, analytical and precision balances	YWT04	15,540
Coronary stent holder for Secura26, Made of High-grade Titanium	YSH11	3,500
Save-Lock tubes holder(1-2ml), for Secura26,	YSH16	2,430
Save-Lock tubes holder(1-2ml), for Secura/Quintix Semi-micro balances, Made of High-grade Titanium	YSH17	2,610
Save-Lock tubes holder(5ml) for Secura26, Made of High-grade Titanium	YSH20	1,750
Save-Lock tubes holder(5ml) for Secura/Quintix Semi-micro balances,	YSH21	2,610
High-grade Titanium	13.12.1	2,010
Vials holder. for Secura26, Made of High-grade Titanium	YSH24	2,610
Vials holder, for Secura/Quintix Semi-micro balances, Made of	YSH25	3,420
High-grade Titanium		

BSA

Readability	Weighing capacity	Model	Price in RMB
(mg)	(g)		
0.1	220	BSA224S	14,180
0.1	120	BSA124S	11,490
1	620	BSA623S	19,100
1	420	BSA423S	12,890
1	320	BSA323S	9,350
1	220	BSA223S	7,740
10	6200	BSA6202S	20,410
10	4200	BSA4202S	12,910
10	3200	BSA3202S	10,060
10	2200	BSA2202S	9,400
10	820	BSA822	8,610
100	8200	BSA8201	12,400
100	5200	BSA5201	8,910
100	2200	BSA2201	7,620

BSA-CW

Readability	Weighing capacity	Model	Price in RMB
(mg)	(g)		
0.1	220	BSA224S-CW	18,040
0.1	120	BSA124S-CW	15,490
1	620	BSA623S-CW	24,260
1	420	BSA423S-CW	15,240
1	320	BSA323S-CW	12,900
1	220	BSA223S-CW	11,760
10	6200	BSA6202S-CW	24,930
10	4200	BSA4202S-CW	16,260
10	3200	BSA3202S-CW	13,950
10	2200	BSA2202S-CW	12,500
10	820	BSA822-CW	11,460
100	8200	BSA8201-CW	16,260
100	5200	BSA5201-CW	12,650
100	2200	BSA2201-CW	11,090

Accessories for CPA and BSA models

	Order No.	Price in RMB
Data Printer	YDP20-0CE	4,370
Paper Rolls, 5 units, each with 40 m	6906937	180
Ink Ribbon Cassette	6906918	200
Battery Pack for Standard Lab Balances	YRB11Z	2,320
Data Cable RS232 USB	YCC01-USBM2	1,470
Density Kit for 0.0001 g balances	YDK03	4,680
Second display, backlit LCD, character height: 15 mm	YRD03Z	3,310
lonizing blower for electrostatically charge of samples	YIB01-0UR	14,960
Stat pen, for neutralize static electricity on samples	YSTP01	16,400
Weighing table, made of wood, with decoupled centered granite plate	YWT09	21,000
Balance table, made of granite, with vibration dampeners	YWT03	22,980
Wall console for micro, analytical and precision balances	YWT04	15,540
Data cable, RS232 25-pin 9-pin; length approx. 1 m	69Y03130	130

Accessories for all Balances

	Order No.	
		Price in RMB
Data printer, verified for use in legal metrology;	YDP20-0CE	4,370
with date, time, statistics and transaction counter functions		
Paper rolls, for YDP20-0CE; 5 units, each with 40 m	6906937	180
Ink ribbon cassette, for YDP20-0CE	6906918	200
SartoriusWedge, software for data communication between balance and PC	YSW02	3,740
Balance table, wood with synthetically stone plate for precise, reliable weighing operations	YWT09	21,000
Balance table, cast stone, with vibration dampeners	YWT03	22,980
Wall console for micro, analytical and precision balances	YWT04	15,540
Hand switch, incl. T-connector	YHS02	2,820
Foot switch, incl. T-connector	YFS01	3,310
lonizing blower, for electrostatically charged sample	YIB01-0DR	14,960
Stat pen, unit to neutralize static electricity on samples (100 V to 230 V, 50 60 Hz)	YSTP01	16,400
T-connector, for connecting two peripheral devices to the balance	YTC01	2,450
RS-232C USB Interface cable, for connecting the balance to a PC with USB port;	YCC01-USBM2	1,470
length approx. 2 m		
RS-232C Interface cable, for connecting the balance to a PC with 25-pin com port;	7357312	1,670
length approx. 2 m		
RS-232C Interface cable, for connecting the balance to a PC with 9- pin com port; length approx. 2 m	7357314	1,520

Pipette calibration

Multi-channel	Order no.	Price in RMB	
Multi-channel balance	SpeedCal	on require	
Single-channel	Order no.	Price in RMB	
Pipette calibration set, hardware; for CPA225D, ME	YCP04-HW	9,780	
and CPA analytical balances (not ME5 and ME36S).			
Consists of glass evaporation trap and all			
Pipette calibration set for ME36S, consists of:			
hardware set	YCP04-HW	9,780	
connector	VF3677	2,600	
Calibration software:	840FP		
Quanta Cal		13,000	
Quanta Lab		35,000	
Quanta Pro		48,000	

Moisture Analyzer: MA-Series

Measuring accuracy	Weighing capacity	Repeatability	Model	Price in RMB
(mg)	(g)	for initial sample wt.		
		1 g 5 g		
0.1	100	±0.1 ±0.02	MA100C-000230V1	78,030
0.1	100	±0.1 ±0.02	MA100H-000230V1	78,030
0.1	100	±0.1 ±0.02	MA100Q-000230V1	78,030
1	70	±0.2 ±0.05	MA37-1CN	24,760
1	200	±0.2 ±0.05	MA160-1CN	39,240
1	30	±0.2 ±0.05	MA35M-1CN230V1	17,600
	C =	Equipped with ceramic IR heating	g element	

H =	Equipped with halogen IR lamp
Q=	Equipped with quartz IR heating element
0CE =	Verified at the factory for use in legal metrology
	in the European Economic Area
000 =	Not for use in legal metrology
V1 =	Equipped with glass panels

Modular Infrared Dryer Series

Measuring accuracy	v Weighing capacity	Repeatability	Model	Price in RMB
(mg)	(g)	for initial sample wt.		
		1 g 5 g		
1	40	±0.2 ±0.05	LMA110P	on require
0.1	100	±0.1 ±0.02	LMA100P	on require
	100	10.1 10.02	LMATOOP	on require
U.I Heating Modular	100	±0.1 ±0.02	LIMATOOP	

,		
LMA110P heating modular	LMA110SQ	on require
LMA100P heating modular	LMA100PQ	on require

Moisture Analyzer (microwave drying)

Measuring accuracy (mg)	Weighing capacity (g)	Measuring range	Reproducibility	Model	Price in RMB
0.1	70	8 - 100%	± 0.05 starting at 1 g sample weight	LMA200PM-000EU	on require

Accessories for Moisture Analyzer

	MA35 MA37 MA100 MA160 LMA100 LMA200					Order No.	Price in RMB
Disposable sample pans, aluminum, round (80/box)	•	•	•	•	•	6965542	490
Glass fiber pads hard quality(80/box)	•	•	•	•	•	• 6906940	409
Glass fiber pads soft quality(200/box)	•	•	•	•	٠	• 6906941	900
Performance test pads, 10 pieces for the verification of the functionality of the MA37 or MA160		•		•		YHP01MA	1,100
Pan sample, large volume, 100/box					•	69MA0349	560
Temperature adjustment set,			•			YTM05MA	7,800
with manufacturer certificate	•	•		•		YTM15MA	11,800
Data printer, integratable			•			YDP01MA	7,550
Data printer, external verified for use in the metrology; with date, time, statistics functions	•	•	•	•		YDP20-0CE	4,370
Ink ribbon cassette, for YDP20-0CE and YDP01MA	٠	•	٠	٠		6906918	200
Paper rolls, 5 units, each with 50 m, for YDP20-0CE and YDP01MA,	٠	•	٠	٠		6906937	180
Paper rolls, for printer YDP40		•		•		69Y03287	180
Standard printer		•		•		YDP40	3,450
Thermo-sensitive paper, 5 rolls					•	• 69M30100	1,140
Disposable pipettes, 500						YAT01MA	510
Sartorius Wedge: software for data communication between PC and any Sartorius instrument						YSW02	3,740
Set of exchange draft shield panels, white aluminum plates for replacing glass panels; to meet FDA HACCP regulations	•		•			YDS05MA YDS03MA	1,170 1,200

Electrochemical Analysis

Basic Meter	Method of analysis	Model	Price in RMB
-AC adapter, electrode arm and sensor PY-ASI	pH mV measurement	PB-10	2,980

Accessories for Electrochemical Analysis

Accessories for Electrochemical Analysis		
	Order No.	Price in RMB
pH-Electrodes		
 pH-combination electrode, temp., glass body, KCl fluid, 	PY-P11-2S	2,890
platinum junction		
-pH-combination electrode, plastic body, gel-filled	PY-ASI	460
-pH-combination electrode, glass body, 2 in 1	PY-PG	430
- pH-combination electrode, glass body, 2 in 1, low-ion strength	PY-PW	430
-Micro-pH-combination electrode, KCI fluid, glass body, platinum junction	PY-P22-2S	3,250
 Flat membrane-pH-combination electrode, Referid, glass body 	PY-P23-2S	2,890
Redox combination electrode, KCI fluid	PY-R01-2S	2,580
Temperature sensor, stainless steel body	PY-T02	430